

**AUTHORING SENTENCES
AMERICAN SPEECHSOUNDS FOR HEALTHCARE PROFESSIONALS**

Please review this content for accuracy before Authoring. Information was found on reliable Internet sources.

Medications

screen 1

(line 1)

Paxil

(line 2)

Is she on 10 or 20 mg. of Paxil for depression?

(line 3-phonetics)

PAEK suhl

screen 2

(line 1)

Lexapro

(line 2)

Lexapro, an antidepressant, is a tablet or oral solution.

(line 3-phonetics)

LEHK suh pro

screen 3

(line 1)

Hydrocodone

(line 2)

You may take hydrocodone for pain.

(line 3-phonetics)

hai dro KO don

screen 4

(line 1)

Xanax

(line 2)

Side effects for Xanax are hives, trouble breathing, and swelling.

(line 3-phonetics)

ZAE naeks

(See below for additional expressions.)

To Add Medications to American Speechsounds:

1. Click AUTHOR on the Main Menu, and then click START.
2. Enter your password, if you have one, and then click OK.
3. Click AUTHOR SENTENCES.
4. Click ADD.
5. Select EXERCISE, and then click OK.
6. Click the EXERCISE box, **type Medications** and click OK.
7. Click the WORDS box and **type** the first word: **Paxil**
8. **Record this expression** using the RECORD and STOP buttons to the right.
9. Click the SENTENCE box and type: **Is she on 10 or 20 mg. of Paxil for depression?**
10. **Record this sentence** as in step 8, using the buttons to the right.
11. Click in the AS PHONETICS box and type:
12. For each of the next pages, click ADD PAGE, save the changes and repeat steps 7-11.
13. When you complete this exercise, click BACK and save the changes.
14. Click NO to add information to the Key Information (or click YES and add

helpful instructions.)

15. Click BACK to return to the Author Main Menu.

16. Click EXIT to return to the American Speechsounds Main Menu.

Medications is now in Sentences in American Speechsounds!

5. Tramadol Tramadol relieves moderately severe pain.
TRAE muh dal
6. Vicodin Does Vicodin depress the central nervous system?
VAI kuh din
7. Lyrica Lyrica is used to treat fibromyalgia.
LI ri kuh
8. Oxycodone Withdrawal symptoms occur if you suddenly stop taking
Oxycodone. ak see KO don
9. Lisinopril She takes Lisinopril for high blood pressure.
lai SI nuh pril
10. Cymbalta Cymbalta treats tingling caused by diabetic neuropathy.
sim BAL tuh
11. Lipitor Used to treat high cholesterol, Lipitor, has a generic version.
LI pi tor
12. Percocet Does it have interactions with Percocet?
PUR kuh seht
13. Zoloft Zoloft is used to treat obsessive-compulsive disorder.
ZO laft
14. Metformin Type 2 diabetes is treated with Metformin.
meht FOR min
15. Effexor Can Effexor cause weight gain?
eh FEHK sur
16. Ambien Ambein or Zolpidem is used for insomnia.
AEM bee in
17. Prednisone Prednisone is a synthetic corticosteroid drug.
PREHD ni zon
18. Atenolol Avoid drinking alcohol when taking Atenolol.
uh TEH nuh lal
19. Wellbutrin Seasonal affective disorder is treated with Wellbutrin.
WEHL byu trin
20. Morphine She is allergic to morphine.
MOR feen
21. Naproxen Naproxen can relieve swelling and stiffness.
nuh PRAK sin
22. Phentermine Phentermine speeds weight loss.
FEHN tur meen
23. Tylenol Tylenol is available in rapid release gelcaps.
TAI luh nal
24. Aspirin Aspirin is an analgesic but it may upset your stomach.

25. Norvasc AE sprin
Norvasc lowers blood pressure by relaxing blood vessels.
NOR vaesk
26. Toprol Toprol (metoprolol) is given for angina.
TO pral
27. Darvocet Ask your pharmacist about Darvocet.
DAR vo seht
28. Nexium Nexium provides heartburn relief for acid reflux disease.
NEHK see uhm
29. Soma Soma is a muscle relaxant.
SO muh
30. Ibuprofen Ibuprofen causes an increased risk of bleeding.
ai byu PRO fin

Authoring instructions are also available in Help in your American Speechsounds program.

www.englishtalkshop.com